



This is an official
CDC Health Advisory

Distributed via Health Alert Network
February 15, 2013, 3:00PM
10278-DHA-02-15-2013-CRE

New Carbapenem-Resistant Enterobacteriaceae Warrant Additional Action by Healthcare Providers

Summary

Carbapenem-resistant Enterobacteriaceae (CRE) are untreatable or difficult-to-treat multidrug-resistant organisms that are emerging in the United States. Because of increased reports of these multidrug-resistant organisms, CDC is alerting clinicians about the need for additional prevention steps regarding CRE. Key points include:

- While still uncommon, reports of unusual forms of CRE (e.g., New Delhi Metallo- β -lactamase and Verona Integron-mediated Metallo- β -lactamase) in the United States are increasing. Of the 37 unusual forms of CRE that have been reported in the United States, the last 15 have been reported since July, 2012.
- This increase highlights the need for U.S. healthcare providers to act aggressively to prevent the emergence and spread of these unusual CRE organisms.
- Current [CDC Guidance](#) includes key elements of CRE prevention (e.g., use of Contact Precautions) in healthcare settings.
- Because the vast majority of these unusual organisms were isolated from patients who received overnight medical treatment outside of the United States, additional measures described in this HAN advisory are now recommended to be taken when such patients are hospitalized in the United States.

Background

Klebsiella species and *Escherichia coli* are examples of Enterobacteriaceae, a family of bacteria that normally live in water, soil, and the human gut. CRE are Enterobacteriaceae that have developed high levels of resistance to antibiotics, including last-resort antibiotics called carbapenems. CRE infections most commonly occur among patients who are receiving antibiotics and significant medical treatment for other conditions.

Although there are a large number of mechanisms that can lead to carbapenem resistance among Enterobacteriaceae, the production of an enzyme that breaks down broad-spectrum carbapenem antibiotics (carbapenemases) has emerged as an important mechanism in the United States over the last decade. Most carbapenemase-producing CRE in the United States produce a carbapenemase called *Klebsiella pneumoniae* carbapenemase, or KPC, which was first reported in 2001 and has been found in many different types of Gram-negative bacteria.

KPC-producing Enterobacteriaceae appear to have spread throughout the United States since 2001 but still remain relatively uncommon in most hospitals. Enterobacteriaceae producing other carbapenemases, such as New Delhi Metallo- β -lactamase (NDM) and the Verona Integron-mediated Metallo- β -lactamase

(VIM), have been very uncommon in the United States but are more common in other parts of the world. Many countries may not be actively looking for CRE; therefore, it is unclear which countries have experienced unusual carbapenemases (e.g., NDM, VIM) and it is difficult to know their overall incidence at any given time. The vast majority of CRE producing non-KPC carbapenemases reported to CDC were isolated from patients with a history of an overnight stay in a healthcare facility outside the United States.

Recommendations

CDC continues to recommend that facilities follow the CDC guidance for preventing the spread of CRE in healthcare settings (<http://www.cdc.gov/hai/organisms/cre/cre-toolkit/index.html>). Facilities should:

- Ensure that the patient is on [Contact Precautions](#).
- Reinforce and evaluate adherence to hand hygiene and Contact Precautions for healthcare personnel who come into contact with the patient (e.g., enter the patient's room).
- Since clinical cultures will identify only a minority of patients with CRE, screen epidemiologically linked patient contacts for CRE colonization with stool, rectal, or perirectal cultures. At a minimum, this should include persons with whom the CRE patient shared a room but could also include patients who were treated by the same healthcare personnel. A laboratory-based screening protocol is available here: (http://www.cdc.gov/HAI/pdfs/labSettings/Klebsiella_or_Ecoli.pdf).
- Should the patient be transferred to another healthcare facility, ensure that the presence of CRE colonization or infection is communicated to the accepting facility. An example transfer form is available here (<http://www.cdc.gov/HAI/toolkits/InterfacilityTransferCommunicationForm11-2010.pdf>).
- Dedicate rooms and staff to CRE patients when possible. It is preferred that staff caring for CRE patients do not also care for non-CRE patients.
- Remove temporary medical devices as soon as they are no longer needed.

In addition to that guidance, CDC now also recommends the following:

- When a CRE is identified in a patient (infection or colonization) with a history of an overnight stay in a healthcare facility (within the last 6 months) outside the United States, send the isolate to a reference laboratory for confirmatory susceptibility testing and test to determine the carbapenem resistance mechanism; at a minimum, this should include evaluation for KPC and NDM carbapenemases.
- For patients admitted to healthcare facilities in the United States after recently being hospitalized (within the last 6 months) in countries outside the United States, consider each of the following:
 - Perform rectal screening cultures to detect CRE colonization.
 - Place patients on [Contact Precautions](#) while awaiting the results of these screening cultures.

Further information about the prevention of CRE transmission is available in CDC's [CRE toolkit](#) (<http://www.cdc.gov/hai/organisms/cre/cre-toolkit/index.html>).

DHEC contact information for reportable diseases and reporting requirements

Reporting of diseases is consistent with South Carolina Law requiring the reporting of diseases and conditions to your state or local public health department. (State Law # 44-29-10 and Regulation # 61-20) as per the DHEC 2013 List of Reportable Conditions available at:

<http://www.scdhec.gov/health/disease/reportables.htm>

Federal HIPAA legislation allows disclosure of protected health information, without consent of the individual, to public health authorities to collect and receive such information for the purpose of preventing or controlling disease. (HIPAA 45 CFR §164.512).

Regional Public Health Offices – 2013

Mail or call reports to the Epidemiology Office in each Public Health Region.

Region 1

Anderson, Oconee

220 McGee Road
Anderson, SC 29625
Phone: (864) 260-4358
Fax: (864) 260-5623
Nights / Weekends: 1-866-298-4442

Abbeville, Edgefield, Greenwood, Laurens, McCormick, Saluda

1736 S. Main Street
Greenwood, SC 29646
Phone: 1-888-218-5475
Fax: (864) 942-3690
Nights / Weekends: 1-800-420-1915

Region 2

Greenville, Pickens

PO Box 2507
200 University Ridge
Greenville, SC 29602-2507
Phone: (864) 282-4139
Fax: (864) 282-4373
Nights / Weekends: (864) 809-3825

Cherokee, Spartanburg, Union

PO Box 4217
151 E. Wood Street
Spartanburg, SC 29305-4217
Phone: (864) 282-4139
Fax: (864) 282-4373
Nights / Weekends: (864) 809-3825

Region 3

Chester, Lancaster, York

PO Box 817
1833 Pageland Highway
Lancaster, SC 29720
Phone: (803) 286-9948
Fax: (803) 286-5418
Nights / Weekends: 1-866-867-3886

Region 3 (continued)

Fairfield, Lexington, Newberry, Richland

2000 Hampton Street
Columbia, SC 29204
Phone: (803) 576-2749
Fax: (803) 576-2993
Nights / Weekends: 1-888-554-9915

Region 4

Chesterfield, Darlington, Dillon, Florence, Marlboro, Marion

145 E. Cheves Street
Florence, SC 29506
Phone: (843) 661-4830
Fax: (843) 661-4859
Nights / Weekends: (843) 601-7051

Clarendon, Kershaw, Lee, Sumter

PO Box 1628
105 North Magnolia Street
Sumter, SC 29150
Phone: (803) 773-5511
Fax: (803) 775-9941
Nights/Weekends: 803-458-1847

Region 5

Bamberg, Calhoun, Orangeburg

PO Box 1126
1550 Carolina Avenue
Orangeburg, SC 29116
Phone: (803) 268-5833
Fax: (803) 268-5814
Nights / Weekends: (803) 535-9265

Aiken, Allendale, Barnwell

222 Beaufort Street, NE
Aiken, SC 29801
Phone: (803) 642-1618
Fax: (803) 643-8386
Nights / Weekends: (803) 645-8167

Region 6

Georgetown, Horry, Williamsburg

1931 Industrial Park Road
Conway, SC 29526-5482
Phone: (843) 915-8804
Fax: (843) 365-0085
Nights/Weekends: (843) 340-4754

Region 7

Berkeley, Charleston, Dorchester

4050 Bridge View Drive, Suite 600
N. Charleston, SC 29405
Phone: (843) 953-0047
Fax: (843) 953-0051
Nights / Weekends: (843) 219-8470

Region 8

Beaufort, Colleton, Hampton, Jasper

219 S. Lemacks Street
Walterboro, SC 29488
Phone: (843) 441-1091
Fax: (843) 549-6845
Nights / Weekends: 1-843-441-1091

DHEC Bureau of Disease Control

Division of Acute Disease Epidemiology

1751 Calhoun Street
Box 101106
Columbia, SC 29211
Phone: (803) 898-0861
Fax: (803) 898-0897
Nights / Weekends: 1-888-847-0902



South Carolina Department of Health
and Environmental Control

www.scdhec.gov

Categories of Health Alert messages:

Health Alert
Health Advisory
Health Update

Conveys the highest level of importance; warrants immediate action or attention.
Provides important information for a specific incident or situation; may not require immediate action.
Provides updated information regarding an incident or situation; unlikely to require immediate action.